

# **ECO Knobs**

# Product information



## ■ SYSTEMTECHNOLOGY FORTHE DOOR











## Knobs



#### K-130 Round rose

Round rose with knob K-130. Completely rivetted to base rose. Complete with cover rose and pre-mounted sleeve nuts (M5 x 30 mm).

#### M8 / M12 thread for a spindle for a knob / lever set

Please order the fixing material separately.







	MO				HO
ER	691570.46	691500.46	691440.46		
Aľ	691570.30	691500.30	691440.30	691501.30	691441.30



#### K-165 Round rose

Round rose with knob K-165. Completely rivetted to base rose. Complete with cover rose and pre-mounted sleeve nuts (M5 x 30 mm).

#### M12 thread for a spindle for a knob / lever set

Please order the fixing material separately.







	<b>A</b> O		99	
ER	691571.46	692200.46	692300.46	



### K-135 Round rose

Round rose OKL-fire protection with knob K-135. Completely rivetted to base rose (ER), complete with cover rose (stainless steel satin) and pre-mounted sleeve nuts (M5 x 30 mm). M12 thread for a spindle for a knob / lever set Please order the fixing material separately.









	HO	H O		
ER	694000.46	694500.46	694550.46	M8
ER	693000.46	693500.46	693550.46	M12





### K-165 Oval rose

Oval rose with knob K-165. Completely rivetted to base rose.

Complete with cover rose. M12 thread for a spindle for a knob / lever set The execution aluminum is polished.

Please order the fixing material separately.





	Execution	<b>A</b> O
ER	fixed	101783004600010
Al F1p	fixed	101783004600010.3a
ER	Fixable bearing	101782244600010
Al F1p	Fixable bearing	101782244600010.3a



ECO Schulte GmbH & Co. KG Iserlohner Landstraße 89 D-58706 Menden

Telefon: +492373/9276-0 Fax: +492373/9276-40

info@eco-schulte.de www.eco-schulte.de